

# SAFETY DATA SHEET



## 1. Identification

<b>Product identifier</b>	<b>CattleMaster GOLD FP 5 L5</b>
<b>Other means of identification</b>	
<b>Synonyms</b>	CattleMaster® GOLD FP® 5 L5 * Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine, Modified Live & Killed Virus-Leptospira Canicola-Grippotyphosa-Hardjo-Ichtherohaemorrhagiae-Po mona Bacterin * Bovishield GOLD FP 5 L5
<b>Recommended use</b>	Veterinary vaccine
<b>Recommended restrictions</b>	Not for human use

### Manufacturer/Importer/Supplier/Distributor information

<b>Company Name (USA)</b>	Zoetis Inc. 10 Sylvan Way Parsippany, New Jersey 07054 (USA)
<b>Rocky Mountain Poison &amp; Drug Safety</b>	1-866-531-8896
<b>Product Support/Technical Services</b>	1-888-963-8471
<b>Emergency telephone numbers</b>	CHEMTREC (24 hours): 1-800-424-9300  International CHEMTREC (24 hours): +1-703-527-3887

<b>Company Name (CA)</b>	Zoetis Canada Inc. 16740 Trans-Canada Highway Kirkland, Quebec, H9H 4M7
<b>Emergency telephone number</b>	CHEMTREC (24 hours): 1-800-424-9300
<b>Contact E-Mail</b>	productsupport@zoetis.com
<b>Product Support</b>	1-800-461-0917

All Safety Data Sheets are available via our Zoetis Canada website at <https://www.zoetis.ca/sds/sds.aspx>

**Supplier** Not available.

## 2. Hazard identification

**Physical hazards** Not classified.

**Health hazards** Not classified.

**Environmental hazards** Not classified.

### Label elements

<b>Hazard symbol</b>	None.
<b>Signal word</b>	None.
<b>Hazard statement</b>	The mixture does not meet the criteria for classification.

### Precautionary statement

<b>Prevention</b>	Observe good industrial hygiene practices.
<b>Response</b>	Wash hands after handling.
<b>Storage</b>	Store away from incompatible materials.
<b>Disposal</b>	Dispose of waste and residues in accordance with local authority requirements.

**Supplemental information** Direct contact with eyes may cause temporary irritation. In the event of accidental injection, an allergic reaction may occur. This product is an oil-adjuvanted suspension. Oil-adjuvant containing products may cause severe vasospasm following accidental injection. Saponins have little toxicity for humans when ingested but have hemolytic effects when injected intravenously.

**Other hazards** None known.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Amphigen (liquid paraffin+lecithin)		8042-47-5	5-30
Quil-A saponin		66594-14-7	1-10
Bovine Parainfluenza3		Not assigned	*
Bovine Respiratory Syncytial Virus		Not assigned	*
Bovine Rhinotracheitis		Not assigned	*
Bovine Virus Diarrhea		Not assigned	*
Gentamicin		1403-66-3	##
Leptospira canicola		Not assigned	*
Leptospira grippotyphosa		Not assigned	*
Leptospira hardjo		Not assigned	*
Leptospira icterohaemorrhagiae		Not assigned	*
Leptospira pomona		Not assigned	*
Merthiolate (as mercury)		54-64-8	##

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### Composition comments

## Trace

\* Non-hazardous Ingredients

The exact percentage composition of this mixture has been withheld as a trade secret.

### 4. First-aid measures

#### Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

#### Skin contact

In the case of skin contact, immediately wash the skin with plenty of soap and water. In the event of accidental self injection or needle stick injury, wash the injury thoroughly with clean running water. Get medical attention immediately.

#### Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present and easy to do.

#### Ingestion

Rinse mouth. Call a physician or poison control centre immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person. If swallowed, do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

#### Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. In the event of accidental injection, an allergic reaction may occur. Signs and symptoms might include skin rash, itching, redness or swelling. Respiratory reactions may be characterized by rhinitis, sneezing, scratchy throat, oral mucosal edema, laryngeal mucosal edema, coughing, shortness of breath, wheezing, and chest pain. Asthma like reactions occur with acute exposures in sensitized patients. This product is an oil-adjuvanted suspension. Oil-adjuvant containing products may cause severe vasospasm following accidental injection.

#### Indication of immediate medical attention and special treatment needed

Treat symptomatically. Where parenteral oil-adjuvanted vaccine exposure has occurred, the patient should be promptly evaluated for the development of vasospasm and/or compartment syndrome.

#### General information

For personal protection, see section 8 of the SDS. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-fighting measures

#### Suitable extinguishing media

Foam. Dry chemicals. Carbon dioxide (CO2).

#### Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

#### Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed. Material will burn in a fire.

#### Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

#### Fire fighting equipment/instructions

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

#### Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

#### General fire hazards

Combustible. Material will burn in a fire.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

### Methods and materials for containment and cleaning up

Ensure adequate ventilation. Remove sources of ignition. Wear personal protective equipment

Large Spills: Stop the flow of material, if this is without risk. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Clean contaminated surface thoroughly.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

### Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

### Precautions for safe handling

Avoid breathing mist or vapour. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Wear personal protective equipment. Wash thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Avoid accidental injection.

### Conditions for safe storage, including any incompatibilities

Do not freeze. Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze. Keep away from heat, sparks and open flame. Store in original tightly closed container. Use care in handling/storage. Store away from incompatible materials (see Section 10 of the SDS). Store away from direct sunlight.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. ACGIH Threshold Limit Values (TLV)

Components	Type	Value	Form
Amphigen (liquid paraffin+lecithin) (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
Merthiolate (as mercury) (CAS 54-64-8)	STEL	0.03 mg/m3	

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended

Components	Type	Value	Form
Amphigen (liquid paraffin+lecithin) (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Merthiolate (as mercury) (CAS 54-64-8)	STEL	0.03 mg/m3	

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Amphigen (liquid paraffin+lecithin) (CAS 8042-47-5)	TWA	1 mg/m3	Mist.
Merthiolate (as mercury) (CAS 54-64-8)	Ceiling	0.1 mg/m3	
	STEL	0.03 mg/m3	

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended

Components	Type	Value	Form
Amphigen (liquid paraffin+lecithin) (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
Merthiolate (as mercury) (CAS 54-64-8)	STEL	0.03 mg/m3	

**Canada. New Brunswick OELs: Threshold Limit Values (TLVs) Based on the 1991 and 1997 ACGIH TLVs and BEIs Publication (New Brunswick Regulation 91-191)**

Components	Type	Value	Form
Amphigen (liquid paraffin+lecithin) (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Merthiolate (as mercury) (CAS 54-64-8)	STEL	0.03 mg/m3	

**Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended**

Components	Type	Value	Form
Amphigen (liquid paraffin+lecithin) (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
Merthiolate (as mercury) (CAS 54-64-8)	STEL	0.03 mg/m3	

**Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended**

Components	Type	Value	Form
Amphigen (liquid paraffin+lecithin) (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Merthiolate (as mercury) (CAS 54-64-8)	STEL	0.03 mg/m3	

**Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended**

Components	Type	Value	Form
Amphigen (liquid paraffin+lecithin) (CAS 8042-47-5)	15 minute	10 mg/m3	

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Control banding approach</b>	Gentamicin: Zoetis OEB 2 (control exposure to the range of 100ug/m3 to < 1000ug/m3)
<b>Appropriate engineering controls</b>	General ventilation normally adequate. Keep air contamination levels below the exposure limits or within the OEB range listed above in this section.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	If contact is likely, safety glasses with side shields are recommended.
<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves.
<b>Other</b>	Wear appropriate chemical resistant clothing. Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.
<b>Respiratory protection</b>	No personal respiratory protective equipment normally required. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear an appropriate respirator with a protection factor sufficient to control exposures to the bottom of the OEB range. Whenever excessive air contamination (dust, mist, vapor) is generated, respiratory protection, with appropriate protection factors, should be used to minimize exposure.
<b>Thermal hazards</b>	Not applicable.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

<b>Appearance</b>	Freeze-dried preparation + Liquid solution.
<b>Physical state</b>	Solid, Liquid.
<b>Form</b>	Solid. Liquid.
<b>Colour</b>	Not available.

<b>Odour</b>	Not available.
<b>Odour threshold</b>	Not available.
<b>pH</b>	> 6 - < 8
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable. Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit – upper (%)</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Explosive properties</b>	Not explosive.
<b>Oxidising properties</b>	Not oxidising.
<b>Specific gravity</b>	> 0.8 - < 1.2

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Keep away from heat, sparks and open flame. Sunlight. High temperatures. Contact with incompatible materials. Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.
<b>Incompatible materials</b>	Strong oxidising agents. This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.
<b>Hazardous decomposition products</b>	Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Prolonged inhalation may be harmful.	
<b>Skin contact</b>	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.	
Amphigen (liquid paraffin+lecithin)	Species: Rabbit	Severity: Non-irritating
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.	
Merthiolate (as mercury)	Species: Rabbit	Severity: Mild
Amphigen (liquid paraffin+lecithin)	Species: Rabbit	Severity: Non-irritating

**Eye contact**

Gentamicin

Species: Rabbit

Severity: Non-irritating

**Ingestion**

Health injuries are not known or expected under normal use. May be harmful if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

**Symptoms related to the physical, chemical and toxicological characteristics**

Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. In the event of accidental injection, an allergic reaction may occur. Signs and symptoms might include skin rash, itching, redness or swelling. Respiratory reactions may be characterized by rhinitis, sneezing, scratchy throat, oral mucosal edema, laryngeal mucosal edema, coughing, shortness of breath, wheezing, and chest pain. Asthma like reactions occur with acute exposures in sensitized patients. This product is an oil-adjuvanted suspension. Oil-adjuvant containing products may cause severe vasospasm following accidental injection.

**Information on toxicological effects****Acute toxicity**

Expected to be a low hazard for usual industrial or commercial handling by trained personnel. Allergic reactions are possible. May be harmful if swallowed.

**Components****Species****Test Results**

Amphigen (liquid paraffin+lecithin) (CAS 8042-47-5)

**Acute****Oral**

LD50

Rat

&gt; 5000 mg/kg

**Chronic****Oral**

NOAEL

Rat

1800 mg/kg/day, 90 days Liver

Gentamicin (CAS 1403-66-3)

**Acute****Intramuscular**

LD50

Mouse

167 mg/kg

Rat

463 mg/kg

**Oral**

LD50

Rat

6600 mg/kg

**Subcutaneous**

LD50

Rat

710 mg/kg

Merthiolate (as mercury) (CAS 54-64-8)

**Acute****Oral**

LD50

Rat

75 mg/kg

**Subcutaneous**

LD50

Rat

98 mg/kg

Quil-A saponin (CAS 66594-14-7)

**Acute****Intravenous**

LD50

Rat

670 ug/kg

**Skin corrosion/irritation**

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

**Serious eye damage/eye irritation**

Direct contact with eyes may cause temporary irritation.

**Eye contact**

Merthiolate (as mercury)

Species: Rabbit

Severity: Mild

Amphigen (liquid paraffin+lecithin)

Species: Rabbit

Severity: Non-irritating

**Eye contact**

Gentamicin

Species: Rabbit

Severity: Non-irritating

**Respiratory or skin sensitisation**

**Respiratory sensitisation** Due to partial or complete lack of data the classification is not possible. In the event of accidental injection, an allergic reaction may occur.

**Skin sensitisation** Due to partial or complete lack of data the classification is not possible. In the event of accidental injection, an allergic reaction may occur. This product contains merthiolate which is considered to be a skin sensitizer.

**Skin Sensitisation**

Amphigen (liquid paraffin+lecithin)

Species: Guinea Pig

Severity: Negative

**Germ cell mutagenicity**

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Mutagenicity**

Amphigen (liquid paraffin+lecithin)

In Vitro Bacterial Mutagenicity (Ames)

Result: Negative

Species: Salmonella

In Vitro Mammalian Cell Mutagenicity

Result: Negative

Species: Mouse Lymphoma

**Carcinogenicity****ACGIH Carcinogens**

Amphigen (liquid paraffin+lecithin) (CAS 8042-47-5)

A4 Not classifiable as a human carcinogen.

**Canada - Manitoba OELs: carcinogenicity**

Amphigen (liquid paraffin+lecithin) (CAS 8042-47-5)

Not classifiable as a human carcinogen.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Amphigen (liquid paraffin+lecithin) (CAS 8042-47-5)

3 Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity**

Due to partial or complete lack of data the classification is not possible. This product is not expected to cause reproductive or developmental effects.

**Developmental effects**

Gentamicin

75 mg/kg/day Embryo / Fetal Development, Developmental toxicity

Result: LOAEL

Species: Rat

Organ: Intramuscular

**Specific target organ toxicity - single exposure**

Not classified.

**Specific target organ toxicity - repeated exposure**

Not classified.

**Aspiration hazard**

Due to partial or complete lack of data the classification is not possible.

**Further information**

The antigens included in this product are non-infectious. All have been prepared from modified or inactivated preparations of microorganisms. Saponins have little toxicity for humans when ingested but have hemolytic effects when injected intravenously.

**12. Ecological information****Ecotoxicity**

Based on available data, the classification criteria are not met for hazardous to the aquatic environment. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Avoid release to the environment.

**Components****Species****Test Results**

Amphigen (liquid paraffin+lecithin) (CAS 8042-47-5)

**Aquatic**

Fish

LC50

Lepomis macrochirus (Bluegill Sunfish) &gt; 10000 mg/l, 96 Hours

**Persistence and degradability**

No data is available on the degradability of this product.

<b>Bioaccumulative potential</b>	Not expected to bioaccumulate.
<b>Mobility in soil</b>	No data available.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

<b>Disposal instructions</b>	Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	None known. This product contains trace quantities of mercury, releases to the environment should be avoided.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

#### TDG

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

### 15. Regulatory information

**Canadian regulations** This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

#### Controlled Drugs and Substances Act

Not regulated.

#### Export Control List (CEPA 1999, Schedule 3)

Merthiolate (as mercury) (CAS 54-64-8)

Substance subject to notification or consent.

#### Greenhouse Gases

Not listed.

#### Ontario. Toxic Substances. Toxic Reduction Act, 2009. Regulation 455/09 (July 1, 2011)

Merthiolate (as mercury) (CAS 54-64-8)

#### Precursor Control Regulations

Not regulated.

#### International regulations

##### Stockholm Convention

Not applicable.

##### Rotterdam Convention

Merthiolate (as mercury) (CAS 54-64-8)

Pesticide

##### Kyoto Protocol

Not applicable.

##### Montreal Protocol

Not applicable.

##### Basel Convention

Not applicable.



## International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

<b>Issue date</b>	12-March-2018
<b>Revision date</b>	25-January-2024
<b>Version No.</b>	02

**Disclaimer** Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently available.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.